

	Hits	Search Text	DBs
1	14	kernel with tunable	US-PGPUB; USPAT
2	6	kernel with parameter with (re\$boot\$3 or re\$1start\$3)	US-PGPUB; USPAT
3	1	kernel with parameter with (re\$compil\$6)	US-PGPUB; USPAT
4	50	kernel with (configur\$5 or re\$1configur\$5) with (re\$boot\$3 or re\$1start\$3 or re\$1compil\$6)	US-PGPUB; USPAT
5	25	(kernel with (configur\$5 or re\$1configur\$5) with (re\$boot\$3 or re\$1start\$3 or re\$1compil\$6)) and unix	US-PGPUB; USPAT
6	2	kernel adj registry adj service	US-PGPUB; USPAT
7	3	kernel with registry with parameters	US-PGPUB; USPAT
8	3	kernel with parameters with admin\$8	US-PGPUB; USPAT
9	0	kernel with parameters with sysadmin\$8	US-PGPUB; USPAT
10	0	kernel with \$3configur\$6 with sysadmin\$8	US-PGPUB; USPAT
11	13	kernel with \$3configur\$5 with admin\$8	US-PGPUB; USPAT
12	68	(tool\$4 with \$3configur\$5 with admin\$8) and unix	US-PGPUB; USPAT
13	31	(tool\$4 with \$3configur\$5 with admin\$8) same (parameters or kernel)	US-PGPUB; USPAT
14	68	((system adj administrator) with management) with (tool or application)) and unix	US-PGPUB; USPAT
15	10	((system adj administrator) with management) with (tool or application)) and unix and (kernel)	US-PGPUB; USPAT
16	4	((((system adj administrator) with management) with (tool or application)) same (kernel or parameters)) and unix	US-PGPUB; USPAT
17	17	((((system adj administrator) with management) with (tool or application)) same (environment)) and unix	US-PGPUB; USPAT
18	36	((system adj administrator) with management) and unix and (kernel)	US-PGPUB; USPAT
19	2	kernel adj registry adj service	US-PGPUB; USPAT
20	171	(sav\$3 near3 change\$1) with automatic\$4	US-PGPUB; USPAT

	Hits	Search Text	DBs
21	87	(sav\$3 near3 change\$1) near2 automatic\$4	US-PGPUB; USPAT
22	1	((sav\$3 near3 change\$1) near2 automatic\$4) with parameters	US-PGPUB; USPAT
23	0	((sav\$3 near3 change\$1) near2 automatic\$4) with (operating adj system)	US-PGPUB; USPAT
24	0	((sav\$3 near3 change\$1) near2 automatic\$4) same (operating adj system)	US-PGPUB; USPAT
25	0	((sav\$3 near3 change\$1) near2 automatic\$4) same kernel	US-PGPUB; USPAT
26	11	((sav\$3 near3 change\$1)) same kernel	US-PGPUB; USPAT
27	53	((sav\$3 or stor\$3) near3 change\$1) same kernel	US-PGPUB; USPAT
28	4	((sav\$3 or stor\$3) near3 change\$1) with automatic\$5) same kernel	US-PGPUB; USPAT
29	0	(tool\$4 with \$3configur\$5 with admin\$8) and unix	EPO; JPO
30	0	(tool\$4 with \$3configur\$5 with admin\$8) and unix	EPO; JPO
31	0	((system adj administrator) with management) and unix and (kernel)	EPO; JPO
32	11	(sav\$3 near3 change\$1) near2 automatic\$4	EPO; JPO
33	2	(central\$6 adj interface) with (kernel)	US-PGPUB; USPAT
34	0	(central\$6 adj interface) with (kernel)	EPO; JPO
35	2	(central\$6 adj interface) same (kernel)	US-PGPUB; USPAT
36	0	(central\$6 adj interface) and (kernel)	EPO; JPO
37	5	(central\$6 adj interface) and (kernel)	US-PGPUB; USPAT
38	19	tun\$2ble with kernel	US-PGPUB; USPAT
39	5	(tun\$2ble with kernel) with value	US-PGPUB; USPAT
40	11	(tun\$2ble with kernel) and dynamic\$6	US-PGPUB; USPAT
41	0	(tun\$2ble with kernel) same admin\$7	US-PGPUB; USPAT
42	2	(tun\$2ble with kernel) same interface	US-PGPUB; USPAT
43	4	(tun\$2ble with kernel) same user	US-PGPUB; USPAT
44	2	(tun\$2ble with kernel) same re\$1boot\$5	US-PGPUB; USPAT

	Hits	Search Text	DBs
45	3	(tun\$2ble with kernel) same updat\$6	US-PGPUB; USPAT
46	1	(tun\$2ble with kernel) same variable	US-PGPUB; USPAT
47	0	tun\$2ble with kernel	EPO; JPO
48	3	tun\$2ble with kernel	DERWENT; IBM_TDB